

REFERENCES

- A. Simon and O. Alejandro. (2005). *Power Switching Converters 2nd edition* (p. 2005). Taylor & francis, CRC.,
- Abbas, G., Farooq, U., Gu, J., & Asad, M. U. (2014). An Improved PID Controller for Switching Converters. *Proceeding of the 11th World Congress on Intelligent Control and Automation*, 1445–1450.
- Aghili-ashtiani, A., & Menhaj, M. B. (2015). Introducing the Fuzzy Relational Hybrid Model as a Building Block for Intelligent Modeling of Hybrid Dynamical Systems. *IEEE Transactions On Fuzzy Systems*, 23(6), 1971–1983.
- Al-hosani, K., Malinin, A., & I. Utkin, V. (2009). Sliding Mode PID Control of Buck Converters. *Proceedings of the European Control Conference 2009*, 2740–2744.
- Al-Hosani, K., & Utkin, V. I. (2012). Parameters estimation using sliding mode observer with shift operator. *Journal of the Franklin Institute*, 349(4), 1509–1525. <https://doi.org/10.1016/j.jfranklin.2011.05.002>
- Alonge, F., Rabbeni, R., Pucci, M., & Member, S. (2015). Identification and Robust Control of a Quadratic DC / DC Boost Converter by Hammerstein Model. *IEEE Transactions On Industry Applications*, 51(5), 3975–3985.
- Al-sheikh, H., & Hoblos, G. (2015). Piecewise Switched Kalman Filtering for Sensor Fault Diagnosis in a DC / DC Power Converter. *2015 Third International Conference on Technological Advances in Electrical, Electronics and Computer Engineering (TAEECE)*, 62–67.
- Amin, M. M., & Mohammed, O. A. (2011). A Three-Phase High Frequency Semi-controlled Battery Charging Power Converter for Plug-in Hybrid Electric Vehicles. *2011 IEEE Energy Conversion Congress and Exposition*, 2641–2648.
- Angeli, D., Amrit, R., & Rawlings, J. B. (2012). On Average Performance and Stability of Economic Model Predictive Control. *IEEE Transactions on Automatic Control*, 57(7), 1615–1626.
- Antsaklis, P. J., Koutsoukos, X. D., & Dame, N. (2001). Hybrid Systems Control, 1–30.
- Aoune, A., Motahhir, S., Ghzizal, A. El, Sebti, S., & Derouich, A. (2016). Determination of the Maximum Power Point in a photovoltaic panel using Kalman filter on the environment PSIM. *2016 International Conference on Information Technology for Organizations Development (IT4OD)*, 1–4.
- Arthika, E., & Priya, G. S. (2015). Modeling and Simulation of Interleaved Buck Boost Converter with PID Controller. *2015 IEEE 9th International Conference on Intelligent Systems and Control (ISCO)*, 1–6.

- Asano, N., Zanna, T., & Ishida, M. (2006). Optimal control of DC-DC converter using mixed logical dynamical system theory. *2006 IEEE International Conference on Industrial Technology*, 110 – 115.
- Ayad, A., Karamanakos, P., & Kennel, R. (2015). Direct Model Predictive Current Control of Quasi-Z-Source Inverters. *2015 IEEE International Symposium on Predictive Control of Electrical Drives and Power Electronics (PRECEDE)*, 67–72.
- Babu, B. C., Kumar, A., Saroagi, N., & Samantaray, S. R. (2011). Design and Implementation of Low Power Smart PV Energy System for Portable Applications Using Synchronous Buck Converter. *2011 International Symposium on Electronic System Design*, 260–266. Retrieved from <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=6117361>
- BasemAlamri, D. M. (2014). Precise Modelling of Switching and Conduction Losses in Cascaded H-Bridge Multilevel Inverters. *2014 49th International Universities Power Engineering Conference (UPEC)*, 1–6.
- Beccuti, A. G., Mariéthoz, S., Cliquennois, S., Wang, S., & Morari, M. (2009). Explicit Model Predictive Control of DC – DC Switched-Mode Power Supplies With Extended Kalman Filtering. *IEEE Transactions On Industrial Electronics*, 56(6), 1864–1874.
- Behjati, H., Niu, L., Davoudi, A., & Chapman, P. L. (2013). Alternative Time-Invariant Multi-Frequency. *IEEE Transactions on Circuits And Systems*, 60(11), 3069–3079.
- Bououden, S., Hazil, O., Filali, S., & Chadli, M. (2014). Modelling and Model Predictive Control of a DC-DC Boost Converter. *15th International Conference on Sciences and Techniques of Automatic Control & Computer Engineering*, 643–648.
- Branicky, M. S. (1995). *Studies in Hybrid Systems : Modeling , Analysis , and Control* by by.
- Chang, Y., & Lai, Y. (2009). Parameter Tuning Method for Digital Power Converter With Predictive Current-Mode Control. *IEEE Transactions on Power Electronics*, 24(12), 2910–2919.
- Chen, H., Fu, K., Xu, H., & Ding, K. (2014). Implementation of hybrid control for Bi-directional DC-DC converter. *The 4th Annual IEEE International Conference on Cyber Technology in Automation, Control and Intelligent*, 669–674.
- Cid-pastor, A., Giral, R., Calvente, J., Utkin, V. I., & Martinez-salamero, L. (2011). Interleaved Converters Based on Sliding-Mode Control in a Ring Configuration. *IEEE Transactions on Circuits And Systems*, 58(10), 2566–2577.
- Converter, B. F., Li, H., & Chen, H. (2012). Dynamic Modeling and Controller Design for a Single-Stage Single-Switch Parallel Boost-Flyback–Flyback Converter. *IEEE Transactions on Power Electronics*, 27(2), 816–827.

- Cortés, P., Kazmierkowski, M. P., Kennel, R. M., Member, S., Quevedo, D. E., & Rodríguez, J. (2008). Predictive Control in Power Electronics and Drives. *IEEE Transactions on Industrial Electronics*, 55(12), 4312–4324.
- Dong, J., Chen, G., Deng, Y., Wang, K., & He, X. (2016). Converters : Synthesis Methodology and Performance Analysis. *2016 IEEE 8th International Power Electronics and Motion Control Conference (IPEMC-ECCE Asia)*, 342 – 347.
- E.F. Camacho and C.Bordons. (2003). *Model Predictive Control* (second edi, p. 401). Springer.
- Ergin, M., Okumu, H. İ., & Kahvec, H. (2015). Sliding mode control of PV powered DC / DC Buck-Boost converter with digital signal processor. *17th European Conference on*, 1–8.
- Faragher, R. (2012). Understanding the Basis of the Kalman Filter Via a Simple and Intuitive Derivation IMPORTANT AND COMMON DATA FUSION ALGORITHMS, (September), 128–132.
- Forbes, M. G., Patwardhan, R. S., & Gopaluni, R. B. (2015). Model predictive control in industry challenges and opportunities. *Advanced Control of Chemical Processes*, 532–539.
- Geyer, T., Karamanakos, P., & Kennel, R. (2014). On the Bene fi t of Long-Horizon Direct Model Predictive Control for Drives with LC Filters. *2014 IEEE Energy Conversion Congress and Exposition (ECCE)*, 3520–3527.
- Geyer, T., Oikonomou, N., & Kieferndorf, F. D. (2014). Direct Model Predictive Control. *Industrial Electronics Magazine*, 8(March), 32–43.
- Geyer, T., Papafotiou, G., & Morari, M. (2008). Hybrid Model Predictive Control of the Step-Down DC–DC Converter. *IEEE Transactions on Control Systems Technology*, 16(6), 1112–1124.
- Ghosh, A., & Kandpal, M. (2010). State-space average Modeling of DC-DC Converters with parasitic in Discontinuous Conduction Mode (DCM), 1–60.
- Ghosh, A., Member, S., Prakash, M., Pradhan, S., & Banerjee, S. (2014). A Comparison among PID , Sliding Mode and Internal Model Control for a Buck Converter.
- Guida, B., & Cavallo, A. (2012). Supervised Bidirectional DC / DC Converter for Intelligent Fuel Cell Vehicles Energy Management. *2012 IEEE International Electric Vehicle Conference*, 1–5.
- Gupta, T., Boudreaux, R. R., Member, S., Nelms, R. M., & Member, S. (1997). Implementation of a Fuzzy Controller for DC – DC Converters Using an Inexpensive 8-b Microcontroller. *IEEE Transactions on Industrial Electronics*, 44(5), 661–669.

- H. Sira-Ramirez and R. Silva-Ortigoza. (2006). *Control Design Techniques in Power Electronics Devices* (p. 2006). Springer.
- Hanene, C., Yosra, H., & Moufida, K. (2015). Reconfiguration methods of PWA systems. *16th International Conference on Sciences and Techniques of Automatic Control & Computer Engineering*, 1–7.
- Haripriya, T., & Alivelu Manga Parimi. (2013). Modeling of DC-DC Boost Converter using Fuzzy Logic Controller for Solar Energy System Applications. *IEEE Asia Pacific Conference on Postgraduate Research in Microelectronics and Electronics (PrimeAsia)*, 147 – 152.
- Iqbal, M. T., Tariq, M., & Khan, S. U. (2016). Fuzzy Logic Control of Buck Converter for Photo Voltaic Emulator. *4th International Conference on the Development in the in Renewable Energy Technology (ICDRET)*, 1–6.
- Izadian, A., & Khayyer, P. (2010). Application of Kalman Filters in Model-Based Fault Diagnosis of a DC-DC Boost Converter. *IECON 2010 - 36th Annual Conference on IEEE Industrial Electronics Society*, 369 – 372.
- Jia, B., Ren, G., Long, G., & Regime, A. O. (2006). Design and Stability Analysis of Fuzzy Switching PID Controller *. *Proceedings of the 6th World Congress on Intelligent Control and Automation*, 3934–3938.
- Johansson, B. (2004). *DC-DC Converters - Dynamic Model Design and Experimental Verification* (p. 194).
- Joukov, V., Bonnet, V., Venture, G., & Kuli, D. (2015). Constrained Dynamic Parameter Estimation using the Extended Kalman Filter. *2015 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, 3654–3659.
- Kabir, A., Ieee, M., & Mahbub, U. (2012a). Fuzzy Logic Driven Adaptive PID Controller for PWM Based Buck Converter.
- Kabir, A., Ieee, M., & Mahbub, U. (2012b). Fuzzy Logic Driven Adaptive PID Controller for PWM Based Buck Converter. *2012 International Conference on Informatics, Electronics & Vision (ICIEV)*, 958 – 962.
- Karamanakos, P., Geyer, T., & Kennel, R. (2014). Reformulation of the Long-Horizon Direct Model Predictive Control Problem to Reduce the Computational Effort. *IEEE Energy Conversion Congress and Exposition (ECCE)*, 3512–3519.
- Karamanakos, P., Geyer, T., & Manias, S. (2014). Direct Voltage Control of DC – DC Boost Converters Using Enumeration-Based Model Predictive Control. *IEEE Transactions on Power Electronics*, 29(2), 968–978.
- Karamanakos, P., Geyer, T., Member, S., & Kennel, R. (2015). Suboptimal Search Strategies With Bounded Computational Complexity to Solve Long-Horizon Direct Model Predictive Control Problems. *IEEE Energy Conversion Congress and Exposition (ECCE)*, 334–341.

- Karamanakos, P., Member, S., Geyer, T., & Member, S. (2013). of DC – DC Boost Converters, *1*(4), 337–346.
- Karamanakos, P., Papafotiou, G., & Manias, S. (2011). Model Predictive Control Strategies for DC-DC Boost Voltage Conversion. *Proceedings of the 2011 14th European Conference on Power Electronics and Applications*, 1–9.
- Kazmierkowski, P., Krishnan, R., & Blaabjerg, F. (2002). *Control in Power Electronics, selected problems*. New York: Academic.
- Kleinbauer, R. (2004). Kalman Filtering Implementation with Matlab Study Report in the Field of Study, (November).
- Ko, Y., Lee, Y., & Liu, L. (2011a). Design of High Efficiency Multi-Phase QR ZCS Switched-Capacitor Bidirectional Power Converters. *8th International Conference on Power Electronics*, 860–867.
- Ko, Y., Lee, Y., & Liu, L. (2011b). Design of High Efficiency Multi-Phase QR ZCS Switched-Capacitor Bidirectional Power Converters.
- Kumar, A. P., Bhajana, V. V. S. K., & Drabek, P. (2016a). A Novel ZCS Interleaved Bidirectional Buck-Boost DC-DC Converter for Energy Storage Applications. *ELEKTRO*, 180–185.
- Kuntal, M., Soumitro, B., & Chakraborty, C. (2014). A New Algorithm for Small-Signal Analysis of. *IEEE Transactions on Industrial Informatics*, *10*(1), 628–636.
- Kurucs, B. (2015). State Space Control of Quadratic Boost Converter using LQR and LQG approaches. *2015 Intl Symposium on Advanced Electromechanical Motion Systems (ELECTROMOTION)*, (2), 642–648.
- Lachichi, A., Pierfederici, S., Martin, J., & Davat, B. (2005). An Hybrid Fixed Frequency Controller suitable for fuel cells applications. *IEEE 36th Power Electronics Specialists Conference*, 943–949.
- Lee, S., Park, C., Kwon, J.-M., & Kwon, B. (2015). Hybrid-Type Full-Bridge DC/DC Converter With High Efficiency. *IEEE Transactions on Power Electronics*, *30*(8), 4156–4164.
- Leslie Wright. (2015). switching losses. Retrieved from slideshare.com
- Li, C., Lu, D. D.-C., & Shen, L. (2015). Adaptive sliding mode control method for DC–DC converters. *IET Power Electronics*, *8*(9), 1723–1732. Retrieved from <http://digital-library.theiet.org/content/journals/10.1049/iet-pel.2014.0979>
- Linares-flores, J., Méndez, A. H., & García-rodríguez, C. (2014). Robust Nonlinear Adaptive Control of a “ Boost ” Converter via Algebraic Parameter Identification. *IEEE Transactions on Industrial Electronics*, *61*(8), 4105–4114.

- Liu, M., Nakagawa, T., & Osada, K. (2012). Fully digital voltage-mode control based on predictive hysteresis method (FDVC-PH) for DC-DC converters. *IEEE International Symposium on Circuits and Systems*, 448–451.
- Mane, J. A., & Jain, P. a M. (2015). Design , Modelling and Control of Bidirectional DC-DC Converter (for EV). *International Conference on Emerging Research in Electronics, Computer Science and Technology (ICERECT)*, 294 – 297.
- Mariéthoz, S., Almér, S., Bâja, M., Beccuti, A. G., Patino, D., Wernrud, A., Riedinger, P. (2010). Comparison of Hybrid Control Techniques for Buck and Boost DC-DC Converters. *IEEE Transactions on Control Systems Technology*, 18(5), 1126–1145.
- Mariéthoz, S., Herceg, M., & Kvasnica, M. (2008). Model Predictive Control of Buck DC-DC Converter with Nonlinear Inductor. *11th Workshop on Control and Modeling for Power Electronics*, 1–8.
- Martin, A. D., Vazquez, J. R., & Herrera, R. S. (2013). Adaptive Backstepping Control of a DC-DC Converter in Photovoltaic Systems. *Eurocon 2013*, (July), 949–955.
- Missailidis, P., Armstrong, M., Gadoue, S., & Ahmeid, M. (2014). Parameter Estimation of a DC-DC Converter Using a Kalman Filter Approach. *7th IET International Conference on Power Electronics, Machines and Drives (PEMD 2014)*, (Ccm), 0339–0339. Retrieved from <http://digital-library.theiet.org/content/conferences/10.1049/cp.2014.0418>
- Modabbernia, M. R., & Group, E. E. (2013). An Improved State Space Average Model of Buck DC-DC Converter with all of the System Uncertainties. *International Journal on Electrical Engineering and Informatics*, 5(1), 81–94.
- Molla-ahmadian, H., Karimpour, A., Pariz, N., & Tahami, F. (2012). Hybrid Modeling of a DC-DC Series Resonant Converter: Direct Piecewise Af fi ne Approach. *IEEE Transactions on Circuits And Systems*, 59(12), 3112–3120.
- Nahapetian, N. (2008). Adaptive PID Gain Tuning using Fuzzy Logic and additional external Performance Index Reference for Controlling Robot Manipulator. *International Conference on Advanced Computer Control Adaptive*, 448–452. <https://doi.org/10.1109/ICACC.2009.130>
- Nise, N. S. (2011). *Control Systems Engineering , International Student Version , 6th Edition* (p. 948). Wiley.
- Nizami, T. K., & Mahanta, C. (2015). Experimental Investigations into a Hybrid Control Algorithm for DC-DC Buck Converters. *39th National Systems Conference (NSC)*, 1–5.
- Pavlovi, T., Bja, T., & Ban, Z. (2013). Simplified Averaged Models of DC – DC Power Converters Suitable for Controller Design and Microgrid Simulation. *IEEE Transactions on Power Electronics*, 28(7), 3266–3275.

- Petros Karamanakos. (2013). Model Predictive Control Strategies for Power Electronics Converters and AC Drives, (July).
- Petros Karamanakos, Tobias Geyer, & Kennel, R. (2016). A Computationally Efficient Model Predictive Control Strategy for Linear Systems With Integer Inputs. *IEEE Transactions on Control Systems Technology*, 24(4), 1463–1471.
- Prasanna, U. R., & Rathore, A. K. (2014a). Small-signal modeling of active-clamped ZVS current-fed full-bridge isolated DC/DC converter and control system implementation using PSoC. *IEEE Transactions on Industrial Electronics*, 61(3), 1253–1261.
- Prasanna, U. R., & Rathore, A. K. (2014b). Small-signal modeling of active-clamped ZVS current-fed full-bridge isolated DC/DC converter and control system implementation using PSoC. *IEEE Transactions on Industrial Electronics*, 61(3), 1253–1261.
- Priewasser, R., Agostinelli, M., Unterrieder, C., Marsili, S., Huemer, M., & Member, S. (2014). Modeling , Control , and Implementation of DC – DC Converters for Variable Frequency Operation. *IEEE Transactions on Power Electronics*, 29(1), 287–301.
- Qiang, S. (2010). Application of Sliding Mode Control for Half-Bridge DC / DC Converter, 0–3.
- Quan Yu, Wang, X., & Zhang, B. (2013). Simultaneous CCM and DCM Operations of Boost Converter by a PWM Hybrid Control Strategy. *39th Annual Conference of the IEEE Industrial Electronics Society*, 1260–1265.
- Renaudineau, H., Martin, J., Nahid-mobarakkeh, B., Member, S., & Pierfederici, S. (2015). DC – DC Converters Dynamic Modeling With State Observer-Based Parameter Estimation. *IEEE Transactions on Power Electronics*, 30(6), 3356–3363.
- Rigatos, G. G., Siano, P., Zervos, N., & Cecati, C. (2013). Derivative-free nonlinear Kalman Filtering for control of three-phase voltage source converters. *IECON Proceedings (Industrial Electronics Conference)*, (2), 7598–7603.
- Rigatos, G., Siano, P., Zervos, N., & Cecati, C. (n.d.). Nonlinear control of the three-phase inverter using the Derivative-free nonlinear Kalman Filter, 1–7.
- Rodriguez, J., & Cortes, P. (2016). Predictive Control of Power Converters and Electrical Drives.
- Rosero, P. P., Alama, W. I., & Silupu, J. M. (2015). Design and Implementation of a Temperature Predictive Controller for a Dryer Plant of Cocoa Beans. *2015 Asia-Pacific Conference on Computer Aided System Engineering*, 202–207.

- Sabahi, M., Sedaghati, F., Gharehpetian, G. B., & Hossein Hosseini, S. (2014). Analysis and implementation of a modular isolated zero-voltage switching bidirectional dc–dc converter. *IET Power Electronics*, 7(8), 2035–2049.
- Shen, Y., Xie, L., & Li, X. (2013). Explicit Hybrid Model Predictive Control of the Forward DC-DC Converter. *25th Chinese Control and Decision Conference (CCDC)*, 638–642.
- Skik, N., & Abbou, A. (2016). Nonlinear control for MPPT and UPF of PV System Connected to the Grid. *7th International Renewable Energy Congress (IREC)*, 1–6.
- Sosa, J. M., & Mart, P. R. (2013). Control Design of a Cascade Boost Converter Based on the Averaged Model. *IEEE International Autumn Meeting on Power Electronics and Computing (ROPEC)*, 4–9.
- Stellato, B., Geyer, T., & Goulart, P. (2016). High-Speed Finite Control Set Model Predictive Control for Power Electronics. *IEEE Transactions on Power Electronics*, 8993(c), 1–1.
- Tajuddin, M. F. N., Rahim, N. A., Daut, I., Ismail, B., & Mohammed, M. F. (2009). State Space Averaging Technique of Power Converter with Digital PID Controller. *IEEE Region 10 Conference*, 1–6.
- Tan, S., Lai, Y. M., & Tse, C. K. (2008). General Design Issues of Sliding-Mode Controllers in DC – DC Converters. *IEEE Transactions on Industrial Electronics*, 55(3), 1160–1174.
- Tomita, H., Kuroki, T., Sato, T., Nabeshima, T., & Nishijima, K. (2013). Improved Transient Response of Digitally Controlled Buck Converter Employing Predictive PID Control. *International Conference on Renewable Energy Research and Applications (ICRERA)*, 1–6.
- Tran, T., & Quang, N. K. (2013). Distributed Model Predictive Control with Receding-Horizon Stability Constraints. *International Conference on Control, Automation and Information Sciences (ICCAIS)*, 85–90.
- V. S. Rajguru, B. N. C. (2012). Small Signal Analysis and Control Design of Active Clamp Forward Converter with Center Tapped Secondary. *IEEE 5th India International Conference on Power Electronics (IICPE)*, 1–6.
- Veerachary, M., & Taffesse, F. (2014). Deadbeat controller for double-boost DC-DC converter. *2014 International Conference for Convergence of Technology, I2CT 2014*, 1–5.
- Verma, S., Singh, S. K., & Rao, A. G. (2013). Overview of control Techniques for DC-DC converters. *Research Journal of Engineering Sciences*, 2(8), 18–21.

- Vindhya, V., & Reddy, V. (2013). PID-Fuzzy Logic Hybrid Controller for a Digitally Controlled DC-DC Converter. *International Conference on Green Computing, Communication and Conservation of Energy (ICGCE)*, 362–366.
- Vlad, C., Godoy, E., & Lefranc, P. (2012). Explicit Model Predictive Control of Buck Converter. *15th International Power Electronics and Motion Control Conference*, 2–7.
- Wai, R., Member, S., & Shih, L. (2012). Adaptive Fuzzy-Neural-Network Design for Voltage Tracking Control of a DC – DC Boost Converter. *IEEE Transactions on Power Electronics*, 27(4), 2104–2115.
- Wang, Y., Member, S., Xuan, D., Yu, D., & Kim, Y. (2013). Buck DC-DC Converter Design and Experimental Validation by Time Delay Control. *International Automatic Control Conference (CACCS)*, 521–526.
- Wissenschaften, D. D. E. R. T. (2014). Modeling, Control And Digital Implementation of DC-DC Converters Under Variable Switching Frequency Operation. *IEEE Transactions on Power Electronics*, 287 – 301.
- Xie, Y., Member, S., Ghaemi, R., Sun, J., & Freudenberg, J. S. (2012). Model Predictive Control for a Full Bridge DC / DC Converter. *IEEE Transactions on Control Systems Technology*, 20(1), 164–172.
- Yan, X., Shu, Z., & Sharkh, S. M. (2015). Prediction-based Sampled-Data Control for DC-DC Buck Converters. *First Workshop on Smart Grid and Renewable Energy (SGRE)*, 1–6.
- Yang, H. T., Liao, J. T., & Cheng, X. Y. (2011). A novel dual resonant tank for ZVT DC-DC converters with synchronous rectifier. *2011 IEEE PES Trondheim PowerTech: The Power of Technology for a Sustainable Society, POWERTECH 2011*, 6–11.
- Zakipour, A., & Salimi, M. (2015). Two - Loop Sensorless Control of Flyback Converter Using Unscented Kalman Filter. *IV International Congress on Ultra Modern Telecommunications and Control Systems Year: 2012*, 446–451.
- Zanoli, S. M., Pepe, C., & Rocchi, M. (2016). Control and Optimization of a Cement Rotary Kiln: a Model Predictive Control approach. *2016 Indian Control Conference (ICC) Indian Institute of Technology Hyderabad*, 111–116.
- Zhang, J., Dorrell, D. G., Li, L., & Argha, a. (2016a). A novel sliding mode controller for DC-DC boost converters under input/load variations. *IECON 2015 - 41st Annual Conference of the IEEE Industrial Electronics Society*, 1698–1703.
- Zhang, J., Dorrell, D. G., Li, L., & Argha, A. (2016b). A novel sliding mode controller for DC-DC boost converters under input/load variations. *IECON 2015 - 41st Annual Conference of the IEEE Industrial Electronics Society*, 1698–1703.

- Zhang, Q., Tong, Q., & Zhang, H. (2014). An Inductor Current Observer Based on Improved EKF for DC / DC Converter, 0–3. <https://doi.org/10.1109/IS3C.2014.235>
- Zhang, Y., Zhang, B., Hu, Z., Qiu, D., & Du, G. (2006). Matrix Coefficient Polynomial Description Model of DC-DC Converters Based on Switched Linear Systems. *IEEE 5th International Power Electronics and Motion Control Conference*, (1-6).